

ES Tubo negro de PVC-P, con capa inferior de PVC-NBR de formulación especial, que permite mantener una elevada flexibilidad incluso a bajas temperaturas; refuerzo textil de fibra de poliéster de alta tenacidad. Interior y exterior completamente lisos para favorecer el flujo de los medios transportados.

Ligero y flexible, presenta una buena resistencia química, al envejecimiento y a los agentes atmosféricos, así como a los aceites minerales y lubricantes.

• En la industria, se utiliza para la pulverización a presión de soluciones de uso común como agua, aire comprimido, aceites, lubricantes y productos químicos. En la agricultura, se utiliza para la pulverización a presión de soluciones fungicidas, fertilizantes y herbicidas en atomizadores.

EN Black hose made by PVC-P, reinforced with polyester yarn. Special PVC-NBR liner, which enhances a high flexibility even at low temperatures.

Completely smooth inside and outside to enhance the flow. Light and flexible, this versatile hose is suitable for applications where a good chemical resistance, to mineral oils, lubricants, ageing and weathering, is required.

• In industry, it is used as pressure delivery hose of commonly used solutions, such as water, compressed air, oils, lubricants and chemicals. In agriculture, it is used for pressure spraying of fungicide solutions, fertilisers, herbicides on atomisers.



ARIANNA MULTIPURPOSE


CÓD. MURX · Ø mm 6-25



Refuerzo de hilo de poliéster
Polyester yarn reinforcement

Tubo de PVC-NBR
PVC-NBR hose

ARTÍCULOS DE LA MISMA SERIE • ITEMS IN THE SAME SERIES



ARIANNA 20 BAR



ARIANNA 40 BAR



ARIANNA 80 BAR

FICHA TÉCNICA • TECHNICAL DATA

ARIANNA MULTIPURPOSE	Ø int.	Ø ext. out	Peso Weight	P.T. W.P.	P.R. B.P.	R. de curvatura Bending r.	Lg. Rollo Coil lgth.	Volume	Disponibilidad Availability
CÓDIGO/CODE	mm	mm	g/m	bar	bar	mm	m	m³	
MURX0060014000*	6	14	160	20	60	40	100	0,032	bajo pedido/on request*
MURX0080015000*	8	15	160	20	60	40	100	0,036	bajo pedido/on request*
MURX0100016000*	10	16	160	20	60	70	100	0,041	bajo pedido/on request*
MURX0100017000*	10	17	190	20	60	70	100	0,044	bajo pedido/on request*
MURX0125020000*	12,5	20	245	20	60	90	100	0,061	bajo pedido/on request*
MURX0130019000*	13	19	195	20	60	90	100	0,058	bajo pedido/on request*
MURX0130020000*	13	20	230	20	60	90	100	0,061	bajo pedido/on request*
MURX0160023000*	16	23	275	20	60	80	50	0,042	bajo pedido/on request*
MURX0190028000*	19	28	430	20	60	100	50	0,087	bajo pedido/on request*
MURX0250033000*	25	33	475	20	60	130	50	0,110	bajo pedido/on request*

* Diámetros bajo pedido para cantidades mínimas (MOQ), según disponibilidad en almacén • * Diameters available on request for minimum order quantities (MOQ), unless in stock

Los datos técnicos indicados se han medido a 23 °C y con una humedad del 50%
The technical data here reported have been measured at 23°C with 50% humidity