

IT Tubo nero in PVC-P, con sottostrato in speciale formulazione PVC-NBR, che consente di mantenere un'elevata flessibilità anche a basse temperature; rinforzo tessile in fibra di poliestere ad alta tenacità. Interno ed esterno completamente lisci per favorire il flusso dei media trasportati. Leggero e flessibile, esso presenta una buona resistenza chimica, ad invecchiamento e agli agenti atmosferici, nonché ad oli minerali e lubrificanti.

• Nell'industria, viene utilizzato per l'erogazione a pressione di soluzioni di uso comune come acqua, aria compressa, oli, lubrificanti e prodotti chimici. In agricoltura, viene utilizzato per l'irrorazione a pressione di soluzioni fungicide, fertilizzanti ed erbicidi, su atomizzatori.

EN Black hose made by PVC-P, reinforced with polyester yarn. Special PVC-NBR liner, which enhances a high flexibility even at low temperatures.

Completely smooth inside and outside to enhance the flow. Light and flexible, this versatile hose is suitable for applications where a good chemical resistance, to mineral oils, lubricants, ageing and weathering, is required.

• In industry, it is used as pressure delivery hose of commonly used solutions, such as water, compressed air, oils, lubricants and chemicals. In agriculture, it is used for pressure spraying of fungicide solutions, fertilisers, herbicides on atomisers.



ARIANNA MULTIPURPOSE


COD. MURX · Ø mm 6-25



Rinforzo tessile in fibra di poliestere
Polyester yarn reinforcement

Tubo in PVC-P
PVC-P hose

ARTICOLI DELLA STESSA SERIE · ITEMS IN THE SAME SERIES



ARIANNA 20 BAR

ARIANNA 40 BAR

ARIANNA 80 BAR

SCHEDA TECNICA · TECHNICAL DATA

ARIANNA MULTIPURPOSE	Ø int.	Ø est. out	Peso Weight	P.E. W.P.	P.S. B.P.	R. curvatura Bending r.	Lg. Rotolo Coil lgth.	Volume	Disponibilità Availability
CODICE/CODE	mm	mm	g/m	bar	bar	mm	m	m ³	
MURX0060014000*	6	14	160	20	60	40	100	0,032	su richiesta/on request*
MURX0080015000*	8	15	160	20	60	40	100	0,036	su richiesta/on request*
MURX0100016000*	10	16	160	20	60	70	100	0,041	su richiesta/on request*
MURX0100017000*	10	17	190	20	60	70	100	0,044	su richiesta/on request*
MURX0125020000*	12,5	20	245	20	60	90	100	0,061	su richiesta/on request*
MURX0130019000*	13	19	195	20	60	90	100	0,058	su richiesta/on request*
MURX0130020000*	13	20	230	20	60	90	100	0,061	su richiesta/on request*
MURX0160023000*	16	23	275	20	60	80	50	0,042	su richiesta/on request*
MURX0190028000*	19	28	430	20	60	100	50	0,087	su richiesta/on request*
MURX0250033000*	25	33	475	20	60	130	50	0,110	su richiesta/on request*

* Diametri su richiesta per quantitativi minimi (MOQ), salvo disponibilità a magazzino · * Diameters available on request for minimum order quantities (MOQ), unless in stock

I dati tecnici riportati sono stati misurati a 23°C e al 50% di umidità
The technical data here reported have been measured at 23°C with 50% humidity