



# AIP L


Since 1975

JUST PICK  
24H

OLTRE 300 ARTICOLI **SEMPRE**  
DISPONIBILI A MAGAZZINO

## VULCANO Z


Cod. **VZ**



Ø int. mm	80	100	120	120	150	200	250
Lg. m	20	15	15	10	15	15	10

## VULCANO ZR

Cod. **ZR**



Ø int. mm	50	60	80	80	100	100	120	120	140	150	150	160	180	200	200	250	300
Lg. m	20	20	10	20	10	15	15	10	15	15	10	15	15	15	10	10	10

## VULCANO M FR


Cod. **VM FR**



Ø int. mm	80	102	102	120	127	203	254	305
Lg. m	10	15	10	10	10	10	10	10

## VULCANO R FR

Cod. **VR FR**



Ø int. mm	40	51	60	70	76	80	102	120	127	140	152	160	180	203	254
Lg. m	20	20	20	20	20	20	15	15	15	15	15	15	15	15	10

## VULCANO 09

**EST**

Cod. **VB**



Ø int. mm	40	51	102
Lg. m	20	20	15

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

**NEXT 07**  
Cod. **N7**



Ø int. mm	80	120	203
Lg. m	20	20	15

**NEXT 09**  
Cod. **N9**




Ø int. mm	102	140	160	203
Lg. m	20	20	15	15

**ARIANNA PU**  
Cod. **AU**



Ø int./est. mm	6x10	8x12	10x14,5	13x19
Lg. m	100	100	100	100

**EOLO PU EST**  
Cod. **OU**



Ø int. mm	52	120	40	52
Lg. m	20	30	20	20

**EOLO PUP EST AS**  
Cod. **OP 02**



Ø int. mm	52	60	102
Lg. m	30	30	30

**URANO PU AS**  
Cod. **UR 02**



Ø int. mm	102
Lg. m	30

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

**EOLO L**  
Cod. **EL**



Ø int. mm	40	50	60	76	80	100	102	120	150	200	250	300
Lg. m	50	50	50	50	50	30	30	30	20	20	10	10

**EOLO**  
Cod. **EO**



Ø int. mm	20	25	32	38	40	50	52	60	100	200
Lg. m	30	50	50	50	50	50	50	50	30	20

**EOLO TERMO**  
Cod. **TR**



Ø int. mm	40	51	60	63	76	80	102	120	127	140	152	160	203	254	406
Lg. m	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

**VULCANO**  
**TPR-A**  
Cod. **VT**



Ø int. mm	40	51	60	63	76	80	102	110	120	127	152	203
Lg. m	20	20	20	20	20	20	15	15	15	15	15	15

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

**PLUTONE PK**  
Cod. **PK**



Ø int./est. mm	25X35	32X43	38X49	50X63
Lg. m	60	60	30	30

**PLUTONE PO**  
Cod. **PH**



Ø int./est. mm	25x35
Lg. m	60

**MARTE A.O.**  
Cod. **MT**




Ø int. mm	52	76	102
Lg. m	50	50	30

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

## APOLLO SE

Cod. **AX**



Ø int. mm	25	38	50	52	60	63	76	80	80	90	100	102	110	127	150	152
Lg. m	50	50	50	50	50	50	50	50	30	30	30	30	30	30	20	20

## APOLLO SUPERFLEX 2

Cod. **SF 01**



Ø int. mm	52	76	80	102	110
Lg. m	50	50	50	30	30

## SATURNO L


Cod. **XL 01**



Ø int. mm	20	25	30	32	38	40	50	52	76	80	102
Lg. m	50	50	50	50	50	50	50	50	50	50	30

## NAUTILUS ODOR PROOF

Cod. **LU**



Ø int. mm	52	76	80	102	110
Lg. m	50	50	50	30	30

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

## MERCURIO M

Cod. **MM**



Ø int. mm	25	32	35	38	40	45	52	60	63	70	76	80	90	102	127	153	203
Lg. m	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50

## ARIANNA

**20 BAR**

Cod. **YV**



Ø int./Ø est. mm	13x19	19x26,5	25x35,5
Lg. m	100	50	50

## ARIANNA

**40 BAR**

Cod. **YQ**



Ø int./Ø est. mm	10X16,5
Lg. m	100

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

## EOLO PU FOOD

Cod. **EU 01**



Ø int. mm	20	25	30	32	35	38	40	45	52	60	63	76	80	90	100	102	150	200
Lg. m	20	20	20	20	20	20	20	20	20	20	20	30	30	30	30	30	20	20


Cod. **EU 02**

Ø int. mm	40	52	60	76	100	102
Lg. m	20	20	20	30	30	30

## EOLO PUP

**FOOD AS**


Cod. **EP 02**



Ø int. mm	40	52
Lg. m	30	30

## PLUTONE A

Cod. **PY 01**



Ø int./Ø est. mm	12x18	16x22,4	20x27	25x33	30x38	32x40,4	38x47	40x49	45x54,8
Lg. m	60	60	60	60	60	60	30	30	30

Ø int./Ø est. mm	50x60	60x71,8	76x88,2	102x115
Lg. m	30	30	30	20

## PLUTONE A SE

Cod. **PY 06**



Ø int./Ø est. mm	16x22,4	20x27	25x33	32x40,4	38x47	40x49	50x60	60x71,8
Lg. m	60	60	60	60	30	30	30	30

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)



## PLUTONE PF

Cod. **PF**




Ø int./Ø est. mm	50X63
Lg. m	30

**SOLO VERSIONE IN ROSSO**

## PLUTONE **BIO**

Cod. **B2**



Ø int./Ø est. mm	12X18	14X20	16X22,4	18X24,4	20X27	22X29	25X33	30X38	32X40,4
Lg. m	60	60	60	60	60	60	60	60	60

Ø int./Ø est. mm	38X47	40X49	50X60	60X71,8	76X88,2	80X92,2	102X115
Lg. m	30	30	30	30	30	20	20

## PLUTONE

**PRESS **BIO****


Cod. **B3**



Ø int./Ø est. mm	20X29	25X35	32X43	40X51	50X63
Lg. m	60	60	60	30	30

## ARIANNA **BIO**


Cod. **B1**



Ø int./Ø est. mm	10X16	12X18	13X19	16X22	19X26	25X33	50X62
Lg. m	100	100	100	50	50	50	50

## ARIANNA TA


Cod. **A5**



Ø int./Ø est. mm	6X12	8X14	10X16	12X18	13X19	13X19	16X22	19X26	25X33
Lg. m	100	100	100	100	100	50	50	50	50

 NUOVI DIAMETRI DISPONIBILI

 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)

**CLEANWASH**  
 Cod. **YO CH**


Ø int./Ø est. mm	12X22
Lg. m	100

**SOLO VERSIONE IN AZZURRO**
**NETTUNO**  
 Cod. **NQ 01**


Ø int. mm	20	25	30	32	38	40	50	60	63	70	76	80	100
Lg. m	50	50	50	50	50	50	50	50	50	50	50	50	30


 Cod. **NQ 02**

Ø int. mm	50
Lg. m	50

**NETTUNO PU**  
**AS**

 Cod. **NR 02**


Ø int. mm	50
Lg. m	30

**BACCO**  
 Cod. **BF**


Ø int. mm	20	25	30	40	50	60	80	80	100
Lg. m	50	50	50	50	50	50	50	30	30


 NUOVI DIAMETRI DISPONIBILI


 Diametri disponibili nella versione AS, con cordicella di rame (**cod. 02**)



# IPL

Since 1975

## CONTATTI

IPL S.P.A.

Via L. da Vinci 13/C  
21023 - Besozzo (VA)

@ [commerciale@iplhoses.com](mailto:commerciale@iplhoses.com)

[www.iplhoses.com](http://www.iplhoses.com)